


1 LOWER GROUND REFLECTED CEILING PLAN

SCALE

1:100




M.



1
THIRD FLOOR REFLECTED CEILING PLAN
 SCALE 1:100 M.


SCHEDULE OF CEILING & FINISHES

MARK	DESCRIPTION	REMARKS
CL-1	3mm THK. FICEM BOARD WITH PAINTED FINISH ON METAL FURRING DOUBLE CHANNEL CEILING JOIST (DESIGNED AS SHOWN IN DETAILS)	HARDIELITE OR APPROVED EQUAL
CL-2	3mm THK. FICEM BOARD WITH PAINTED FINISH ON METAL FURRING DOUBLE CHANNEL CEILING JOIST (DESIGNED AS SHOWN IN DETAILS)	HARDIELITE OR APPROVED EQUAL
CL-3	3mm THK. FICEM BOARD WITH PAINTED FINISH ON METAL FURRING DOUBLE CHANNEL CEILING JOIST (PLANE CEILING)	HARDIELITE OR APPROVED EQUAL
CL-4	(DESIGNED AS SHOWN IN DETAILS)	
CL-5	(DESIGNED AS SHOWN IN DETAILS)	




WALL SCHEDULE


W-1	6" CHB	EXTERIOR WALLS
W-2	4" CHB	INTERIOR WALLS, PLANT BOX




CEILING DESIGNED PLAN DETAIL (CL-4)




CEILING DESIGNED SECTION DETAIL (CL-5)




CEILING DESIGNED PLAN DETAIL (CL-5)




CEILING DESIGNED SECTION DETAIL (CL-4)




FLOOR PLAN SCALE



RIGHT ELEVATION SCALE



FRONT ELEVATION SCALE



REAR ELEVATION SCALE

3.5mm thk. HARDI LIGHT CEILING BOARD W/ PAINTED FINISH
PRE-FABRICATED ROOFING (RIB-TYPE IVORY)

SEE FASCIA BLOW UP DETAIL

2"x6"x1.5mm C-PURLINS FOR FASCIA W/O LIP: DN STEEL PRODUCT; (AUTOMOTIVE FIN. BLACK)

1"x3" ALUMINUM HORIZONTAL SLAT @ 45° SPACED @ 0.06m

1"x3" ALUMINUM VERTICAL

3.5mm thk. HARDI LIGHT CEILING BOARD W/ PAINTED FINISH
C-PURLINS GA. 14 2"x4"x1.0mm SPACED @ 0.60 O.C.

G.I FLASHING
2"x6"x1.5mm C-PURLINS FOR FASCIA W/O LIP: DN STEEL PRODUCT; (AUTOMOTIVE FIN. BLACK)
1"x1" WALL ANGLE

6mm WIDE DRIP MOULD

0.15m x 0.30m Beam Section
4 - 12mmØ with 10mm ties spaced @ 150mm OC

0.25m x 0.25m Column


BEAM AND GRILLES DETAILS

SCHEDULE OF CEILING & FINISHES


MARK	DESCRIPTION	REMARKS
CL-3	3mm THK. FICEM BOARD WITH PAINTED FINISH ON DOUBLE METAL FURRING ON (PLAIN CEILING)	HARDIELITE OR APPROVED EQUAL

SCHEDULE OF FLOOR & FINISHES


MARK	DESCRIPTION	REMARKS
FL-1	600mm X 600mm / 300mm x 600mm NON-SKID PORCELAIN FLOOR TILES FINISH	DESIGN IS UPON APPROVAL
FL-5	600mm X 600mm NON-SKID PORCELAIN FLOOR TILES FINISH	DESIGN IS UPON APPROVAL




DOOR GRILLES DETAILS (D1)



FOUNDATION PLAN
SCALE 1:100MTS



100mm thick well-compacted gravel bed at 95% maximum dry density




COLUMN FOOTING DETAILS
SCALE

FOOTING SCHEDULE

$f_c' = 3000 \text{ psi (20 Mpa)}$
 $f_y = 40,000 \text{ psi (275 Mpa)}$

FOOTING NO.	WIDTH (m)	LENGTH (m)	THICK (m)	REBARS ALONG WIDTH	REBARS ALONG LENGTH	DEPTH OF EXCAVATION (m)
F1	1.00	1.00	0.25	6-12mm \varnothing	6-12mm \varnothing	1.20m

Note:
All foundation shall rest on natural soil. No part of the foundation shall rest on fill.
Assumed Allowable Soil bearing = 2,000 psf




NOTE: USE 10mm Ties, 2 @ 0.05m, 5 @ 0.10m, Rest @ 0.15m O.C.

C1

COLUMN DETAILS
SCALE


4-inch Con. Hollow Block with 10mm \varnothing vert. bars @ 0.40m O.C. & 10mm \varnothing horizontal bars @ every 3-layer




3-10mm \varnothing bars with 9mm \varnothing C-stirrups @ 0.20m O.C.

WF


WALL FOOTING DETAILS
SCALE



ROOF FRAMING DETAILS
SCALE



RAFTER DETAILS
SCALE



FASCIA FRAME DETAILS
SCALE

Provision of End Flashing and Fascia Cover
2.00mm x 2" x 6" Rectangular Tube (Beam)

USE 1.5mm x 2" x 6" C-PURLINS (RAFTER)


USE 1.2mm x 2" x 3" C-PURLINS SPACED @ 0.60M O.C.

1.2mm x 2" x 3" C-PURLINS
Prefabricated Roofing (Rib type)
1.5mm x 2" x 6" C-PURLINS (RAFTERS)

USE 1.2mm x 2" x 3" C-PURLINS SPACED @ 0.60M O.C.

USE 1.5mm x 2" x 6" C-PURLINS (RAFTER)

Provision of End Flashing and Fascia Cover



ALUMINUM GRILLES AT STAIRCASE
 NOTE: VERIFY ACTUAL MEASUREMENT